

SOOTHE- glycerin and propylene glycol solution/ drops
Bausch & Lomb Incorporated

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Soothe Preservative Free Drug Facts

Active ingredients

Glycerin (0.6%)

Propylene Glycol (0.6%)

Purpose

Lubricant

Lubricant

Uses

- relieves dryness of the eye
- prevents further irritation

Warnings

Do not use

- if solution changes color or becomes cloudy
- if single-unit dispenser is not intact

When using this product

- do not touch tip of container to any surface to avoid contamination
- once opened, discard
- do not reuse

Stop use and ask a doctor if

- you experience eye pain, changes in vision, continued redness or irritation of the eye
- condition worsens or persists for more than 72 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- to open, completely twist off tab
- instill 1 to 2 drops in the affected eye(s) as needed

Other information

- store at 15°- 25°C (59°- 77°F)

Inactive ingredients

boric acid, hydroxyalkylphosphonate, purified water, sodium alginate, sodium borate

Questions?

Call: 1-800-553-5340

Package/Label Principal Display Panel

6979506

BAUSCH+LOMB
Soothe
Lubricant Eye Drops
PRESERVATIVE FREE

DO NOT USE IF TAPE SEALS IMPRINTED WITH B&L TAPE SEAL ARE NOT INTACT

BAUSCH+LOMB
Soothe
Lubricant Eye Drops
PRESERVATIVE FREE

BAUSCH+LOMB
Soothe
Lubricant Eye Drops
PRESERVATIVE FREE

BAUSCH+LOMB
Soothe
Lubricant Eye Drops
PRESERVATIVE FREE

Drug Facts

Active ingredients	Purpose
Glycerin (0.6%)	Lubricant
Propylene Glycol (0.6%)	Lubricant

Uses

- relieves dryness of the eye
- prevents further irritation

Warnings

Do not use

- If solution changes color or becomes cloudy
- If single-unit dispenser is not intact

When using this product

- do not touch tip of container to any surface to avoid contamination
- once opened, discard
- do not reuse

Stop use and ask a doctor if

- you experience eye pain, changes in vision, continued redness or irritation of the eye
- condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- to open, completely twist off tab
- instill 1 to 2 drops in the affected eye(s) as needed

Other information

- store at 15°- 25°C (59°- 77°F)

Inactive ingredients
boric acid, hydroxyalkylphosphonate, purified water, sodium alginate, sodium borate

Questions?
Call: 1-800-553-5340

Directions
Easy to use sterile dispenser

To open, twist tab off

Apply 1 or 2 drops in the affected eye(s) as needed.

Discard dispenser immediately after use.

®/TM are trademarks of Bausch & Lomb Incorporated or its affiliates.
© Bausch & Lomb Incorporated
Patents pending.
U.S. Patent 5,800,807

Bausch + Lomb, a Division of Valeant Pharmaceuticals North America LLC, Bridgewater, NJ 08807
MADE IN USA Order No 422219

PRESERVATIVE FREE

Dry Eye Therapy

- Long lasting, fast relief
- Gentle enough for sensitive eyes and LASIK dryness*
- Convenient, single dose vials

0.02 FLOZ EA (0.6 mL EA) Sterile Single-Use Dispensers **28**

Soothe® Preservative Free eye drops provide immediate comfort with a formula that's preservative free so it's gentle enough to use as often as needed. This unique formula restores your eyes' natural moisture to provide fast, long lasting relief to keep eyes feeling fresh throughout the day.

*If used for post-operative (e.g., LASIK) dryness and discomfort, follow your eye doctor's instructions.

SootheEyeDrops.com

6979506

3 10119 02219 1

9056269

Bausch & Lomb
Soothe®

Lubricant Eye Drops

PRESERVATIVE FREE

Dry Eye Therapy

Long lasting relief, fast relief
Gentle enough for sensitive eyes and LASIK dryness*
Convenient, single dose vials

0.02 FL OZ EA (0.6 mL EA) 28 Sterile Single-Use Dispensers

SOOTHE

glycerin and propylene glycol solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24208-495
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	6 mg in 1 mL
PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	6 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
WATER (UNII: 059QF0KO0R)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24208-495-28	28 in 1 CARTON	08/26/2010	
1		0.6 mL in 1 VIAL, SINGLE-USE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	08/26/2010	

Labeler - Bausch & Lomb Incorporated (196603781)

Establishment

Name	Address	ID/FEI	Business Operations
Bausch & Lomb Incorporated		114406598	MANUFACTURE(24208-495)

Revised: 12/2018

Bausch & Lomb Incorporated