

**BACITRACIN- bacitracin ointment**  
**Paddock Laboratories, LLC**

-----  
**Bacitracin Ophthalmic Ointment USP**

**STERILE Rx Only**

**DESCRIPTION:**

Each gram of ointment contains 500 units of Bacitracin in a low melting special base containing White Petrolatum and Mineral Oil.

**CLINICAL PHARMACOLOGY:**

The antibiotic, Bacitracin, exerts a profound action against many gram-positive pathogens, including the common Streptococci and Staphylococci. It is also destructive for certain gram-negative organisms. It is ineffective against fungi.

**INDICATIONS AND USAGE:**

For the treatment of superficial ocular infections involving the conjunctiva and/or cornea caused by Bacitracin susceptible organisms.

**CONTRAINDICATIONS:**

This product should not be used in patients with a history of hypersensitivity to Bacitracin.

**PRECAUTIONS:**

Bacitracin ophthalmic ointment should not be used in deep-seated ocular infections or in those that are likely to become systemic. The prolonged use of antibiotic containing preparations may result in overgrowth of nonsusceptible organisms particularly fungi. If new infections develop during treatment appropriate antibiotic or chemotherapy should be instituted.

**ADVERSE REACTIONS:**

Bacitracin has such a low incidence of allergenicity that for all practical purposes side reactions are practically non-existent. However, if such reaction should occur, therapy should be discontinued.

*To report SUSPECTED ADVERSE REACTIONS, contact Perrigo at 1-866-634-9120 or FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).*

**DOSAGE AND ADMINISTRATION:**

The ointment should be applied directly into the conjunctival sac 1 to 3 times daily. In blepharitis all scales and crusts should be carefully removed and the ointment then spread uniformly over the lid margins. Patients should be instructed to take appropriate measures to avoid gross contamination of the ointment when applying the ointment directly to the infected eye.

**HOW SUPPLIED:**

NDC 0574-**4022**-13 3 – 1 g sterile tamper evident tubes with ophthalmic tip.

NDC 0574-**4022**-35 3.5 g (1/8 oz.) sterile tamper evident tubes with ophthalmic tip.

Store at 20°-25°C (68°-77°F) [see USP Controlled Room Temperature].

Manufactured For

Perrigo®

Minneapolis, MN 55427

0S400 RC J1

Rev 08-13 A

R0813

Ini0813

**PACKAGE/LABEL PRINCIPAL DISPLAY PANEL – 1 g Carton (Sample Only)**

Rx Only


NDC 0574-4022-01

Bacitracin Ophthalmic Ointment USP

FOR USE IN THE EYES ONLY

NET WT 1 g

STERILE



The following image is a placeholder representing the product identifier that is either affixed or imprinted on the drug package label during the packaging operation.

S/N [insert product's serial number]  
 Lot [insert product's lot number]  
 Exp [insert product's expiration date]

**PACKAGE/LABEL PRINCIPAL DISPLAY PANEL – 1 g Label**

Rx Only


NDC 0574-4022-11

Bacitracin Ophthalmic Ointment, USP 500 units/g

FOR USE IN THE EYES ONLY

NET WT 1 g

STERILE



**PACKAGE/LABEL PRINCIPAL DISPLAY PANEL – 3 – 1 g Tube Carton**

Rx Only

NDC 0574-4022-13


Bacitracin Ophthalmic Ointment USP, 500 units/g

3 – 1 g tubes

Sterile Ophthalmic Ointment

FOR USE IN THE EYES ONLY

Weighing 1 gram each



The following image is a placeholder representing the product identifier that is either affixed or imprinted on the drug package label during the packaging operation.

S/N [insert product's serial number]  
Lot [insert product's lot number]  
Exp [insert product's expiration date]

**PACKAGE/LABEL PRINCIPAL DISPLAY PANEL – 1 g Label**

Rx Only

NDC 0574-4022-11

Bacitracin Ophthalmic Ointment, USP 500 units/g

**FOR USE IN THE EYES ONLY**

NET WT 1 g

**STERILE**

Rx Only

NDC 0574-4022-11

**Bacitracin Ophthalmic  
Ointment, USP**  
**500 units/g**

FOR USE IN THE EYES ONLY

NET WT 1g STERILE **Perrigo®**

Manufactured For Perrigo  
Minneapolis, MN 55427

OS4B5 RC T1 Rev 08-13 A  
R0813 Ini0813



**PACKAGE/LABEL PRINCIPAL DISPLAY PANEL – 3.5 g Carton**

Rx Only

NDC 0574-4022-35

Bacitracin Ophthalmic Ointment USP

NET WT 3.5 g (1/8 oz)

STERILE



The following image is a placeholder representing the product identifier that is either affixed or imprinted on the drug package label during the packaging operation.

S/N [insert product's serial number]  
 Lot [insert product's lot number]  
 Exp [insert product's expiration date]

**PACKAGE/LABEL PRINCIPAL DISPLAY PANEL – 3.5 g Label**

Rx Only

NDC 0574-4022-35

Bacitracin Ophthalmic Ointment USP

NET WT 3.5 g (1/8 oz)

STERILE

**Rx Only**

NDC 0574-4022-35

## Bacitracin Ophthalmic Ointment USP

NET WT 3.5 g (1/8 oz)    STERILE

**Perrigo®**

---

**USUAL DOSAGE:** Apply 1 to 3 times daily. See insert for complete information.

**WARNING:** Keep out of reach of children.

**CONTAINS:** 500 units of bacitracin per gram, white petrolatum, mineral oil.

**KEEP TIGHTLY CLOSED. Store at 20° to 25°C (68° to 77°F).**

See crimp for Lot No. & Exp. Date  
Manufactured For Perrigo  
Minneapolis, MN 55427  
0S4Z1 RC T1 Rev 08-13 A

  
(01)00305744022357  
R0813    Ini0813

## BACITRACIN

bacitracin ointment

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:0574-4022
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USPU] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
MINERAL OIL (UNII: T5L8T28FGP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0574-4022-01	1 in 1 CARTON	03/10/2014	



1	NDC:0574-4022-11	1 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0574-4022-13	3 in 1 CARTON	03/10/2014	
2	NDC:0574-4022-11	1 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:0574-4022-35	1 in 1 CARTON	03/10/2014	
3		3.5 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA061212	03/10/2014	

**Labeler** - Paddock Laboratories, LLC (967694121)

Revised: 9/2019

Paddock Laboratories, LLC