

CLARITIN- loratadine tablet
Bayer HealthCare LLC

Non-Drowsy*

Claritin®

Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours; children under 6 years of age: ask a doctor; consumers with liver or kidney disease: ask a doctor

Other information (Bottles)

- Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken
- store between 20° to 25°C (68° to 77°F)

Other information (Blister foil units)

- safety sealed: do not use if the individual blister unit imprinted with Claritin (R) is open or torn
- store between 20° to 25° C (68° to 77°F)
- protect from excessive moisture

Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate

Questions of comments ?

1-800-CLARITIN (1-800-252-7484) or www.claritin.com

PRINCIPAL DISPLAY PANEL - 10 mg Tablet Bottle Carton

Original Prescription

Strength

*Non-Drowsy**

Claritin®

loratadine tablets 10 mg/antihistamine

24 Hour

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose


Indoor & Outdoor

Allergies

***When taken as directed.**

See Drug Facts Panel.

70 TABLETS



CLARITIN

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-6655
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	458;Claritin;10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-6655-1	1 in 1 POUCH	04/12/1993	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11523-6655-2	1 in 1 CARTON	04/12/1993	
2		70 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:11523-6655-3	2 in 1 BLISTER PACK	04/12/1993	
3		45 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:11523-6655-4	1 in 1 BLISTER PACK	04/12/1993	
4		105 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:11523-6655-6	1 in 1 BLISTER PACK	04/12/1993	
5		105 in 1 BOTTLE; Type 0: Not a Combination Product		
6	NDC:11523-6655-7	25 in 1 BOX	04/12/1993	
6		1 in 1 POUCH; Type 0: Not a Combination Product		
7	NDC:11523-6655-9	1 in 1 CARTON	04/12/1993	
7		80 in 1 BOTTLE; Type 0: Not a Combination Product		
8	NDC:11523-6655-8	1 in 1 CARTON	04/12/1993	
8		30 in 1 BOTTLE; Type 0: Not a Combination Product		
9	NDC:11523-6655-5	1 in 1 CARTON	04/12/1993	
9		60 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019658	04/12/1993	

Labeler - Bayer HealthCare LLC (112117283)

Revised: 8/2017

Bayer HealthCare LLC