

ZYRTEC ALLERGY- cetirizine hydrochloride tablet, orally disintegrating
Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division

Zyrtec Allergy

Drug Facts

Active ingredient (in each tablet)

Cetirizine HCl 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

Tablet melts in mouth. Can be taken with or without water.

one 10 mg tablet once daily; do not

adults and children 6 years and over	take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F). Avoid high humidity.
- **do not use if carton or blister unit is opened or broken**

Inactive ingredients

amino methacrylate copolymer, anhydrous citric acid, colloidal silicon dioxide, crospovidone, flavors, hydroxypropyl cellulose, magnesium stearate, mannitol, microcrystalline cellulose, sodium bicarbonate, sodium starch glycolate, sucralose

Questions?

call **1-800-343-7805** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

Original Prescription Strength

NDC 50580-778-24

ZYRTEC®

Cetirizine HCl orally disintegrating tablets

10mg/antihistamine

Dissolve Tabs™

24

HOUR

RELIEF OF

- *Sneezing*
- *Runny Nose*
- *Itchy, Watery Eyes*
- *Itchy Throat or Nose*

ALLERGY

INDOOR + OUTDOOR

ALLERGIES

Melts In

Your Mouth

CITRUS FLAVOR

Actual Size



Z10

24
ORALLY
DISINTEGRATING
TABLETS
10 mg each

Made in Switzerland
Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
McNeil Consumer Healthcare Division
Fort Washington, PA 19034 USA
©J&J CI 2016
30035272/400-30-16682.02
www.zyrtec.com



ZYRTEC® ALLERGY
Cetirizine HCl orally disintegrating tablets
10mg /antihistamine
Dissolve Tabs™

Drug Facts

Active ingredient (in each tabley)
Cetirizine HCl 10 mg.....Antihistamine

Purpose
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
Tablet melts in mouth. Can be taken with or without water.

adults and children
do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
ask a doctor
adults 65 years and over
ask a doctor
ask a doctor
children under 6 years of age
consumers with liver or kidney disease
ask a doctor

Other information
Store between 20° to 25° C (68° to 77° F). Avoid high humidity. Do not use if carton or blister unit is opened or broken.

Inactive ingredients
amino methacrylate copolymer, anhydrous citric acid, colloidal silicon dioxide, croscaps, flavors, hydroxypropyl cellulose, magnesium stearate, mannitol, microcrystalline cellulose, sodium bicarbonate, sodium starch glycolate, sucrose

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
Avoid alcoholic drinks
drowsiness may occur
do not drink alcohol
Do not drink alcohol while taking this product
Avoid alcoholic drinks
Do not drink alcohol while taking this product
Do not drink alcohol while taking this product
Do not drink alcohol while taking this product

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ sneezing
■ itchy, watery eyes
■ itching of the nose or throat

Caution:
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

**Stop use and ask a doctor if an allergic reaction to this product occurs.
Seek medical help right away.
If pregnant or breast-feeding:
If pregnant or breast-feeding: not recommended
If pregnant or breast-feeding: not recommended**

Questions? call 1-800-543-2905 (to 11 free) or 215-273-8755 (collect)

The trade dress of this ZYRTEC® package is subject to trademark protection.



LOT
EXP

ZYRTEC® ALLERGY
Cetirizine HCl orally disintegrating tablets
10mg /antihistamine
Dissolve Tabs™

Original Prescription Strength

NDC 50580-778-24

ZYRTEC®
Cetirizine HCl orally disintegrating tablets
10mg /antihistamine
ALLERGY



ZYRTEC ALLERGY

cetirizine hydrochloride tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-778
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Cetirizine Hydrochloride (UNII: 64O047KTOA) (Cetirizine - UNII:YO7261ME24)	Cetirizine Hydrochloride	10 mg

Inactive Ingredients

Ingredient Name	Strength
dimethylaminoethyl methacrylate - butyl methacrylate - methyl methacrylate copolymer (UNII: 905HNO1SIH)	
anhydrous citric acid (UNII: XF417D3PSL)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
crospovidone (15 MPA.S AT 5%) (UNII: 68401960MK)	
hydroxypropyl cellulose (70000 WAMW) (UNII: 66O7AQV0RT)	
magnesium stearate (UNII: 70097M6I30)	
mannitol (UNII: 3OWL53L36A)	
microcrystalline cellulose (UNII: OP1R32D61U)	
sodium bicarbonate (UNII: 8MDF5V39QO)	
sodium starch glycolate type a potato (UNII: 5856J3G2A2)	
sucralose (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	WHITE (White to Off-white)	Score	no score
Shape	ROUND	Size	10mm
Flavor	CITRUS (citrus-ice)	Imprint Code	Z10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-778-12	2 in 1 CARTON	01/20/2014	04/30/2017

1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50580-778-24	4 in 1 CARTON	01/20/2014	
2		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:50580-778-66	11 in 1 CARTON	01/20/2014	03/31/2017
3		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA022578	01/20/2014	

Labeler - Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division (878046358)

Revised: 12/2019

Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division