

**VISINE DRY EYE RELIEF- glycerin, hypromelloses, and polyethylene glycol 400 solution/drops**

**Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Visine® Dry Eye Relief Formula**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Glycerin 0.2%	Lubricant
Hypromellose 0.2%	Lubricant
Polyethylene glycol 400 1%	Lubricant

**Use**

- for the temporary relief of burning and irritation due to dryness of the eye
- for protection against further irritation

**Warnings**

**For external use only**

**When using this product**

- remove contact lenses before using
- do not use if this solution changes color or becomes cloudy
- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

**Stop use and ask a doctor if**

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- put 1 to 2 drops in the affected eye(s) as needed
- children under 6 years of age: ask a doctor

**Other information**

- store at 15° to 25°C (59° to 77°F)

**Inactive ingredients**

Ascorbic Acid, Benzalkonium Chloride, Boric Acid, Dextrose, Disodium Phosphate, Glycine, Magnesium Chloride, Potassium Chloride, Purified Water, Sodium Borate, Sodium Chloride, Sodium Citrate, Sodium Lactate

**Questions?**

call toll-free **888-734-7648**; or **215-273-8755** (collect)

**PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton**

***Sterile***  
**Visine®**

**DRY EYE**  
**Relief**

LUBRICANT EYE DROPS

Relieves  
burning,  
gritty,  
irritated

DRY EYES

1/2 FL. OZ. (15 mL)



## VISINE DRY EYE RELIEF

glycerin, hypromelloses, and polyethylene glycol 400 solution/ drops

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:42002-210
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Glycerin</b> (UNII: PDC6A3C0OX) (Glycerin - UNII:PDC6A3C0OX)	Glycerin	2 mg in 1 mL
<b>Hypromelloses</b> (UNII: 3NXW29V3WO) (Hypromelloses - UNII:3NXW29V3WO)	Hypromelloses	2 mg in 1 mL

<b>Polyethylene Glycol 400</b> (UNII: B697894SGQ) (Polyethylene Glycol 400 - UNII:B697894SGQ)	Polyethylene Glycol 400	10 mg in 1 mL
---	-------------------------	---------------

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
<b>Ascorbic Acid</b> (UNII: PQ6CK8PD0R)	
<b>Benzalkonium Chloride</b> (UNII: F5UM2KM3W7)	
<b>Boric Acid</b> (UNII: R57ZHV85D4)	
<b>Dextrose, Unspecified Form</b> (UNII: IY9XDZ35W2)	
<b>Sodium Phosphate, Dibasic, Anhydrous</b> (UNII: 22ADO53M6F)	
<b>Glycine</b> (UNII: TE7660XO1C)	
<b>Magnesium Chloride</b> (UNII: 02F3473H9O)	
<b>Potassium Chloride</b> (UNII: 660YQ98I10)	
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Sodium Borate</b> (UNII: 91MBZ8H3QO)	
<b>Sodium Chloride</b> (UNII: 451W47IQ8X)	
<b>Sodium Citrate, Unspecified Form</b> (UNII: 1Q73Q2JULR)	
<b>Sodium Lactate</b> (UNII: TU7HW0W0QT)	

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:42002-210-05	1 in 1 CARTON		
1		15 mL in 1 BOTTLE, DROPPER; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		
2	NDC:42002-210-02	2 in 1 CARTON		
2	NDC:42002-210-05	1 in 1 CARTON		
2		15 mL in 1 BOTTLE, DROPPER; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		

<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH FINAL	part349	06/05/2009	

**Labeler** - Johnson & Johnson Consumer Inc. (002347102)