

**VISINE MAXIMUM STRENGTH REDNESS RELIEF FORMULA- glycerin, hypromelloses, polyethylene glycol 400, and tetrahydrozoline hydrochloride solution/ drops  
Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

**VISINE MAXIMUM STRENGTH REDNESS RELIEF EYE DROPS**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Glycerin 0.2%	Lubricant
Hypromellose 0.36%	Lubricant
Polyethylene glycol 400 1%	Lubricant
Tetrahydrozoline HCl 0.05%.	Redness reliever

**Uses**

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and discomfort due to dryness of the eye or exposure to wind or sun
- for protection against further irritation

**Warnings**

**For external use only**

**Ask a doctor before use if you have** narrow angle glaucoma.

**When using this product**

- pupils may become enlarged temporarily
- overuse may cause more eye redness
- remove contact lenses before using
- do not use if this solution changes color or becomes cloudy
- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

**Stop use and ask a doctor if**

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- put 1 or 2 drops in the affected eye(s) up to 4 times daily
- children under 6 years of age: ask a doctor

**Other information**

- store at 20° to 25° C (68° to 77° F)

**Inactive ingredients**

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium chloride, sodium citrate

**Questions?**

call toll-free **888-734-7648** or **215-273-8755** (collect)

**PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton**

*Sterile*

**Visine®**

**MAXIMUM  
STRENGTH**

**Redness Relief**

**Formula**

**LUBRICANT / REDNESS  
RELIEVER EYE DROPS**

UP TO

10

HOURS

COMFORT

HYDROBLEND®

Protects +

soothes

irritated eyes

with HYDROBLEND®

moisturizers

for up to 10 hours

of comfort

½ FL OZ (15 mL)



## VISINE MAXIMUM STRENGTH REDNESS RELIEF FORMULA

glycerin, hypromelloses, polyethylene glycol 400, and tetrahydrozoline hydrochloride solution/ drops

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42002-211
Route of Administration	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Glycerin (UNII: PDC6A3C0OX) (Glycerin - UNII:PDC6A3C0OX)	Glycerin	2 mg in 1 mL
Hypromelloses (UNII: 3NXW29V3WO) (Hypromelloses - UNII:3NXW29V3WO)	Hypromelloses	3.6 mg in 1 mL

<b>Polyethylene Glycol 400</b> (UNII: B697894SGQ) (Polyethylene Glycol 400 - UNII:B697894SGQ)	Polyethylene Glycol 400	10 mg in 1 mL
<b>Tetrahydrozoline Hydrochloride</b> (UNII: 0YZT43HS7D) (Tetrahydrozoline - UNII:S9U025Y077)	Tetrahydrozoline Hydrochloride	0.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Benzalkonium Chloride</b> (UNII: F5UM2KM3W7)	
<b>Boric Acid</b> (UNII: R57ZHV85D4)	
<b>Edetate Disodium</b> (UNII: 7FLD91C86K)	
<b>Water</b> (UNII: 059QF0K00R)	
<b>Sodium Chloride</b> (UNII: 451W47IQ8X)	
<b>Sodium Citrate, Unspecified Form</b> (UNII: 1Q73Q2JULR)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42002-211-05	1 in 1 CARTON		
1		15 mL in 1 BOTTLE, DROPPER; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part349	06/29/2011	

**Labeler** - Johnson & Johnson Consumer Inc. (002347102)

Revised: 3/2016

Johnson & Johnson Consumer Inc.